

Bibliography

- [1] H. Arsenault and C. Delisle. Contrast-invariant pattern recognition using circular components. *Applied Optics*, 24(14):2072–2075, 1985.
- [2] H. Arsenault and Y. Sheng. Modified composite filter for pattern recognition in the presence of noise with non-zero mean. *Optics Communications*, 63(1):15–20, 1987.
- [3] J. Babaud, A. P. Witkin, M. Baudin, and R. O. Duda. Uniqueness of the gaussian kernel for scale-space filtering. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-8(1):26–33, 1986.
- [4] L. Breiman. *Probability*. Addison-Wesley, Reading, 1968.
- [5] C. Chevalley. *Theory of Lie-Groups*. Princeton University Press, 1946.
- [6] P. E. Danielsson. Rotation invariant linear operators with directional response. In *Proc. 5. ICPR*, pages 1171–1176, 1980.
- [7] P. E. Danielsson. Natural basis functions for image analysis. In D. Meyer-Ebrecht, editor, *Proceedings of the 6. Aachener Symposium für Signaltheorie*, Informatik-Fachberichte, Vol. 153, pages 239–254, Springer-Verlag, Berlin, Heidelberg, New York, 1987.
- [8] P. E. Danielsson and Henrik Saulea. Rotation invariant 2d filters matched to 1d features. In *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition, San Francisco*, 1985.
- [9] S. R. Deans. *The Radon Transform and Some of its Applications*. Wiley Interscience, 1983.
- [10] N. Dunford and J. T. Schwartz. *Linear Operators (Vols. I, II)*. Interscience Publishers, New York, 1958, 1963.
- [11] A. Erdelyi, W. Magnus, F. Oberhettinger, and F. G. Tricomi. *Higher Transcendental Functions*. McGraw-Hill, New York, Toronto, London, 1953.
- [12] Rumelhart et al. Learning representation by back-propagation errors. *Nature*, 323(6088):5533, 1986.
- [13] Rumelhart et al. *Parallel Distributed Processing (Vols. 1,2)*. MIT Press, Cambridge, 1986.

- [14] I. M. Gelfand, M. I. Graev, and N. Y. Vilenkin. *Generalized Functions, Vol. 5 (Integral Geometry and Representation Theory)*. Academic Press, 1966.
- [15] I. M. Gelfand, R. A. Minlos, and Z. Y. Shapiro. *Representations of the rotation and Lorentz groups and their applications*. Pergamon Press, 1963.
- [16] J. Goodman. *Introduction to Fourier Optics*. Physical and Quantum Electronics Series. McGraw-Hill, 1968.
- [17] P.R. Halmos, editor. *Measure Theory*. D. Van Nostrand, Reading, Mass., 1950.
- [18] H.D.Ebbinghaus, H. Hermes, F. Hirzebruch, M. Koecher, K. Mainzer, J. Neukirch, A. Prestel, and R. Remmert. *Zahlen*. Springer-Verlag, Berlin, Heidelberg, New York, 1988.
- [19] F. Hirzebruch, W. Scharlau. *Einführung in die Funktionalanalysis*. Bibliographisches ches Institut, Mannheim, Wien, Zürich, 1971.
- [20] R. A. Hummel. Feature detection using basis functions. *Computer Graphics and Image Processing*, 9:40–55, 1979.
- [21] S. H. Izen. A series inversion for the x-ray transform in n dimensions. *Inverse Problems*, 4:725–748, 1988.
- [22] K. I. Kanatani. Camera rotation invariance of image characteristics. *Computer Vision, Graphics and Image Processing*, 39:328–354, 1987.
- [23] K. I. Kanatani. Transformation of optical flow by camera rotation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(2):131–143, 1988.
- [24] T. Kohonen. *Self organization and associative memory*. Springer Series in Information Sciences, Vol. 8. Springer-Verlag, Berlin, Heidelberg, New York, 1984.
- [25] S. Lang. *Algebra*. Addison-Wesley, 1965.
- [26] G. Laub and R. Bachus. Visualization of vessels with mri. In *Proc. Computer Aided Radiology*. Springer-Verlag, Berlin, Heidelberg, New York, 1987.
- [27] R. Lenz. *Reconstruction, Processing and Display of 3D-Images*. PhD thesis, Linköping University, Sweden, 1986.
- [28] R. Lenz. Optimal filters for the detection of linear patterns in 2-d and higher dimensional images. *Pattern Recognition*, 20(2):163–172, 1987.
- [29] R. Lenz. Rotation-invariant operators and scale-space filtering. *Pattern Recognition Letters*, 6:151–154, 1987.
- [30] R. Lenz. A group theoretical approach to filter design. In *Proc. International Conference on Acoustics, Speech and Signal Processing*, 1989.
- [31] R. Lenz. A group theoretical model of feature extraction. *Journal of the Optical Society of America A*, 6(6):827–834, June 1989.

- [32] M. P. Levesque and H. H. Arsenault. Rotation-invariant pattern recognition using the phase of the circular harmonic filter correlations. *Optics Communications*, 58(3):161–166, 1986.
- [33] R. Lippman. An introduction to computing with neural nets. *IEEE ASSP Magazine*, 4:4–22, 1987.
- [34] D. Marr. *Vision*. W. H. Freeman, 1982.
- [35] M. Minsky and S. Papert. *Perceptrons*. MIT Press, Cambridge, 1969.
- [36] M. A. Naimark. *Linear Representations of the Lorentz Group*. Pergamon Press, Oxford, London, 1964.
- [37] M. A. Naimark and A. I. Stern. *Theory of Group Representations*. Springer-Verlag, New York, Berlin, Heidelberg, 1982.
- [38] A. Papoulis. *System and Transforms with Applications in Optics*. McGraw-Hill, New York, 1968.
- [39] W. Pitts and W. S. McCulloch. How we know universals: the perception of auditory and visual forms. *Bulletin of Mathematical Biophysics*, 9:127–147, 1947.
- [40] L. Pontrjagin. *Topological Groups*. Princeton Mathematical Series No. 2, 1946.
- [41] F. Riesz and B. Sz. Nagy. *Vorlesungen über Funktionalanalysis*. Deutscher Verlag der Wissenschaften, Berlin, 1956.
- [42] Y. Sheng and H. H. Arsenault. Experiments on pattern recognition using invariant fourier- mellin descriptors. *Journal of the Optical Society of America A*, 3(6):771–776, 1986.
- [43] Y. Sheng and J. Duvernoy. Circular-fourier-radial-mellin transform descriptors for pattern recognition. *Journal of the Optical Society of America A*, 3(6):885–888, 1986.
- [44] D. Slepian. Prolate spheroidal wave functions, fourier analysis and uncertainty - iv: Extensions to many dimensions; generalized prolate spheroidal functions. *Bell System Technical Journal*, 43:3009–3058, 1964.
- [45] M. Sugiura. *Unitary Representations and Harmonic Analysis*. Kodansha Ltd., Tokyo, 1975.
- [46] A. Terras. *Harmonic Analysis on Symmetric Spaces and Applications I*. Springer-Verlag, Berlin, Heidelberg, New York, 1985.
- [47] V. S. Varadarajan. *Lie Groups, Lie Algebras and their Representations*. Prentice-Hall, Englewood Cliffs, N.J., 1974.
- [48] N. Ya. Vilenkin. *Special Functions and the Theory of Group Representations*. AMS Translations. American Mathematical Society, Providence, R.I., 1968.
- [49] V. S. Vladimirov. *Equations of Mathematical Physics*. Mir Publishers, Moscow, 1984.

- [50] G. N. Watson. *A Treatise on the Theory of Bessel Functions*. Cambridge University Press, 1966.
- [51] R. Wu and H. Stark. Rotation-invariant pattern recognition using a vector reference. *Applied Optics*, 23(6):838–840, 1984.
- [52] R. Wu and H. Stark. Rotation-invariant pattern recognition using optimum feature extraction. *Applied Optics*, 24(2):179–184, 1985.
- [53] K. Yosida. *Functional Analysis*. Springer-Verlag, Berlin, Heidelberg, New York, 1978.
- [54] A. L. Yuille and T. Poggio. Scaling theorems for zero crossings. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-8(1):15–25, 1986.
- [55] D. P. Zelobenko. *Compact Lie Groups and their Representations*. American Mathematical Society, Providence, R. I., 1973.
- [56] S. W. Zucker and R. A. Hummel. A three-dimensional edge operator. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, PAMI-3(3):324–331, 1981.

Index

- [A, B], 55
- 3-D polar coordinates, 60
- adjoint operator, 14
- adjoint representation, 43
- associated Legendre function, 63
- automorphism, 22
 - topological, 29
- automorphism group, 22
- automorphism inner, 22
- Banach space, 11
- basic spherical function, 60
- basis, 13
 - canonical representation, 58
- basis of a topology, 7
- Bessel function, 69
- Bessel inequality, 13
- bijective, 6
- blur
 - Gaussian, 49
- bracket, 55
- $C_0(X)$, 33
- $C_0^+(X)$, 33
- canonical basis of a representation, 58
- canonical homomorphism, 22
- Cauchy sequence, 11
- Cauchy-Schwarz inequality, 12
- center of a group, 21
- character, 81
- character of a representation, 44
- class equivalence, 6
- closed subset, 7
- closure, 7
- commutation relations, 55, 56
- commutator, 55
- compact set, 8
- compact space, 7
- complete orthonormal subset, 13
- complete space, 11
- completely reducible representation, 43
- C , 17
 - representation of, 40
- complex numbers, 17
- complex vector space, 11
- composition, 6
- conjugacy class, 25
- conjugate elements, 25
- continuous at a point, 8
- continuous function, 8
- continuous homomorphism, 29
- continuous isomorphism, 29
- continuous operator, 29
- continuous representation, 45
- continuous representations
 - equivalent, 45
 - irreducible, 45
- coset, 20
 - left, 19, 20
 - representative, 19
 - right, 19, 20
- cosets
 - space of, 20
- cover, 7
 - open, 7
- CT reconstruction, 93–95
- cyclic subgroup, 19
- dilatation of the line, 23
- dimension of a representation, 39
- direct product of groups, 25
- direct product of subgroups, 26
- direct sum of representations, 42
- discrete topology, 7
- divisor
 - normal, 21
- e^A , 52

- edge detection, 1
- edge point, 1
- eigenvectors, 85
- empty set, 5
- equivalence class, 6
- equivalence relation, 6
- equivalent continuous representations, 45
- equivalent representation, 41
- equivalent to a unitary representation, 44
- euclidian motion group, 18
- Euler angle, 32
- exponential
 - matrix, 52
- extended complex plane, 113
- factor group, 21
 - topological group, 29
- factor space, 20
- G/H , 20
- factorization
 - homomorphism, 22
- filter design, 95–110
- finite-dimensional representation, 39
- Fourier decomposition, 2
- Fourier transform, 87
 - kernel, 119
- Fourier transform on $SL(2, \mathbb{C})$, 118
- function, 5
 - basic spherical, 60
 - continuous, 8
 - harmonic, 65
 - integrable, 9
 - Legendre, 63
 - associated, 63
 - measurable, 10
 - spherical, 60
- functional, 33
 - hermitian, 72
 - invariant, 34
 - left-invariant, 34
 - non-negative, 34
 - positive-homogeneous, 34
 - right-invariant, 34
- Gaussian blur, 49
- Gaussian function, 89
- general linear group, 18
- generating subset, 19
- generator, 19
- $GL(n, \mathbb{C})$, 18
- $GL(n, \mathbb{R})$, 18
- $GL(X)$, 23
- group, 15
 - abelian, 15
 - automorphism, 22
 - center, 21
 - commutative, 15
 - dilatation of the line, 23
 - direct product, 25
 - euclidian motions, 18
 - factor, 21
 - finite, 16, 26
 - fractional-linear transformations, 24
 - general linear, 18
 - infinite, 16
 - inner automorphism, 22
 - linear transformation of the line, 23
 - Lorentz, 37
 - natural numbers, 17
 - non-zero real numbers, 17
 - multiplicative, 17
 - order, 16
 - orthogonal, 18
 - permutations, 26
 - positive real numbers, 17
 - multiplicative, 17
 - quaternions, 27
 - real numbers, 17
 - additive, 17
 - rotation (2-D), 17, 23
 - rotation (n-D), 18
 - simple, 21
 - special linear, 18
 - special orthogonal, 17, 18
 - special unitary, 18
 - symmetric, 23
 - topological, 28
 - transformation, 23
 - translation of the line, 23
 - unit circle, 17
 - unitary, 18
 - vectors, 17
- group average, 2

- group of fractional-linear transformations, 24
- groups
 - isomorphic, 21
 - topologically isomorphic, 29
- $G(X)$, 23
- H , 14, 27
- Haar integral, 34
 - C_0 , 35
 - R_0 , 35
 - R_+ , 117
 - right half-plane, 35
 - $SO(3)$, 36
- harmonic function, 65
- Hausdorff space, 8
- heat equation, 89, 90
- heat equation, solution, 90
- Hebbian learning rules, 120
- hermitian functional, 72
- hermitian operator, 14
- Hilbert space, 12
- homeomorphism, 8
- homogeneous polynomial, 65
- homogeneous space, 24
- homomorphism, 21
 - canonical, 22
 - continuous, 29
- homomorphism factorization, 22
- identity, 15
- identity element, 15
- image coding, 110–112
- image of f , 6
- image restoration, 92
- index of a subgroup, 20
- infinite-dimensional representation, 39
- infinitesimal operators
 - $M(n)$, 67
- infinitesimal rotation, 54
- injective, 6
- inner automorphism, 22
- inner automorphism group, 22
- integrable function, 9
- integral
 - Haar, 34
 - invariant, 34
 - Lebesgue, 9
- integral equation, 88
- Integral transforms, 87
- intersection, 6
- intertwining operator, 41
- interval function, 9
 - additive, 9
 - monotone, 9
 - regular, 9
- invariant integral, 34
- invariant pattern class, 1, 2
- invariant subspace of a representation, 41
- inverse, 15
- inverse element, 15
- Inverse Fourier transform on $SL(2, C)$, 119
- irreducible continuous representations, 45
- irreducible representation, 41
- irreducible representations
 - complete set of, 76
- isomorphism, 21
 - continuous, 29
 - topological, 29
- Jacobi polynomial, 66
- Jacobian, 35
- Karhunen-Loeve expansion, 112
- kernel, 22, 88
- Kronecker symbol, 6
- $L^2(G)$, 75
- Laplacian, 87, 89
 - 2-D, 72
 - 3-D, 73
 - spherical, 73
- Laplacian of Gaussian, 89
- Lebesgue integral, 9
- Lebesgue theorem, 9
- left coset, 19
- left transformation, 23
- left-invariant functional, 34
- left-translate, 34
- ${}^a f$, 34
- Legendre function, 63
- Legendre polynomial, 63
- limit of a sequence, 8
- limit point, 7

- linear transformation of the line, 23
- locally compact space, 8
- Lorentz group, 37
- lowering operator, 57
- $L^p(\mathbf{R}^n, \mu)$, 10
- $L^p_{\mathbf{C}}(\mathbf{R}^n, \mu)$, 10
- $L(X, X)$, 39
- mapping
 - natural, 22
- matrix
 - trace, 44
 - unitary, 43
- matrix elements of a representation, 39
- matrix exponential, 52
- matrix of a representation, 39
- measurable function, 10
- measure, 9
- Mellin Transform, 117
- $M(n)$, 18, 67
 - infinitesimal operators, 67
- motion
 - rigid, 67
- motion analysis, 113–119
- motions
 - rigid, 67–69
- \mathbf{Z} , 17
- natural mapping, 22
- natural numbers, 17
- \mathcal{W} , 14
- neighborhood, 7
- neighborhood basis, 14
- neural network, 119–124
- non-negative functional, 34
- norm, 11
- normal divisor, 21
 - trivial, 21
- normal subgroup, 21
 - trivial, 21
- normalized associated Legendre function, 63
- normalized Legendre polynomial, 63
- normed space, 11
- $O(n)$, 18, 30
- open cover, 7
- open set, 6
- operator
 - adjoint, 14
 - hermitian, 14
 - intertwining, 41
 - lowering, 57
 - positive hermitian, 14
 - raising, 57
- operators
 - infinitesimal
 - $M(n)$, 67
- optimal basis functions, 102
- orbit, 24
- order of a group, 16
- orthogonal complement, 12
- orthogonal elements, 12
- orthogonal group, 18
- orthogonal subsets, 12
- orthogonality relations, 77
 - for characters, 81
- orthonormal subset, 12
 - complete, 13
- pattern class
 - invariant, 1, 2
- permutations, 17
- Peter-Weyl theorem, 78
- Plancherel formula, 119
- Plancherel's formula, 80
- polar coordinates
 - 3-D, 60
- polynomial
 - homogeneous, 65
 - Legendre, 63
- positive hermitian operator, 14
- positive-homogeneous functional, 34
- product, 6
 - group, 25
 - subgroup, 26
- product of transformations, 23
- proper subgroup, 18
- Pythagoras' theorem, 14
- quaternions, 14, 27
- raising operator, 57
- \mathbf{R} , 17

- representation of, 40
- real vector space, 10
- \mathbf{R}_+ , 17
- \mathbf{R}_0 , 17
 - representation of, 40
- \mathbf{R}^n , 17
- reducible representation, 41
- regular representation, 76
 - left, 76
 - right, 76
- relation equivalence, 6
- representation, 39
 - adjoint, 43
 - basis
 - canonical, 58
 - character of, 44
 - completely reducible, 43
 - continuous, 45
 - dimension of, 39
 - direct sum, 42
 - equivalent, 41
 - equivalent to a unitary, 44
 - finite-dimensional, 39
 - infinite-dimensional, 39
 - invariant subspace of \mathfrak{a} , 41
 - irreducible, 41
 - matrix elements of, 39
 - matrix of, 39
 - reducible, 41
 - regular, 76
 - left, 76
 - right, 76
 - unitary, 43
 - weight of, 59
- representation of
 - \mathbf{C} , 40
 - \mathbf{R} , 40
 - \mathbf{R}_0 , 40
 - $SO(2)$, 40
- representation operator, 39
- representation space, 39
- representations
 - irreducible
 - complete set of, 76
- representative of a coset, 19
- Riesz representation theorem, 15
- Riesz-Fischer theorem, 11
- right coset, 19
- right transformation, 23
- right-invariant functional, 34
- right-translate, 34
- f^a , 34
- rigid motion, 67
- rigid motions, 67–69
- rotation
 - infinitesimal, 54
- rotation (2-D), 17, 23
- rotation (n-D), 18
- scalar product, 11
- scale space filtering, 89
- scale-invariance, 117
- Schur's Lemma, 41
- separated space, 8
- set
 - compact, 8
 - open, 6
- simple group, 21
- $SL(2, \mathbf{C})$, 70–72
- $SL(n, \mathbf{C})$, 18
- $SL(n, \mathbf{R})$, 18
- $S(n)$, 23
- S_N , 17
- $SO(2)$, 17
 - representation of, 40
- $SO(3)$, 31–33, 51–66
- $SO(n)$, 18
- space
 - Banach, 11
 - compact, 7
 - complete, 11
 - Hausdorff, 8
 - Hilbert, 12
 - homogeneous, 24
 - locally compact, 8
 - normed, 11
 - separated, 8
 - topological, 6
 - transitive, 24
- space of cosets, 20
- space with transformation group, 23
- spatial average, 3

- special linear group, 18, 70–72
- special orthogonal group, 18
- special unitary group, 18
- spherical function, 60
 - basic, 60
 - order of, 60
- spherical Laplacian, 73
- stereographic projection, 113
- $SU(2)$, 31
- subgroup, 18
 - center, 21
 - cyclic, 19
 - direct product, 26
 - normal, 21
 - proper, 18
 - topological group, 28
 - trivial, 19
- $H < G$, 18
- subset
 - closed, 7
- $SU(n)$, 18, 30
- support, 33
- surface harmonics, 65
- surjective, 6
- symmetric group, 23
- symmetrical group, 17

- theorem
 - Lebesgue, 9
 - Peter-Weyl, 78
 - Pythagoras, 14
 - Riesz representation theorem, 15
 - Riesz-Fischer, 11
- tomography, 92–95
- topological
 - vector space, 45
- topological automorphism, 29
- topological group, 28
 - factor group, 29
 - subgroup, 28
- topological isomorphism, 29
- topological space, 6
- topologically isomorphic groups, 29
- topology, 6
 - basis, 7
 - coarsest, 7
 - discrete, 7
 - finest, 7
- trace, 44
- trajectory, 24
- transformation, 23
 - left, 23
 - right, 23
- transformation group, 23
- transformations
 - product, 23
- transitive space, 24
- translation of the line, 23
- triangle inequality, 11
- trivial normal divisor, 21
- trivial normal subgroup, 21
- trivial subgroup, 19

- $U(n)$, 18, 30
- union, 6
- unit circle, 17
- unitary
 - matrix, 43
 - representation, 43
- unitary group, 18
- $U(x)$, 7

- vector, 11
- vector space
 - complex, 11
 - real, 10
 - topological, 45

- weight of a representation, 59
- weighted group average, 2
- weighted spatial average, 3

- zero-crossing, 89

List of Figures

2.1	Factorization of a homomorphism	23
6.1	Principle of an X-ray Computer Tomograph	94
6.2	Two orthogonal, equivalent gray value distributions	97
6.3	Two prototype patterns	106
6.4	A number of transformed patterns	108
6.5	Classification results	109
6.6	Structure Detection Procedure	110
6.7	Slice 16 in Input Image	110
6.8	Slice 16 in Output Image	111
6.9	Slice 16 in Output Image after Noise Reduction	111
6.10	Stereographic Projection	114
6.11	Two different edge-like input signals	123
6.12	State of the basic unit after 2000 iterations using operators k^l	124
6.13	Two line-like angular input signals	125
6.14	State of the basic unit after 2000 iterations using operators k^l	126
6.15	State of the basic unit after 2000 iterations using edges and lines	127